

**EVS**

World leaders in solder recovery  
**EVS International**

**EVS 8K and EVS 10K  
Solder Recovery System**



# **EVS**

## **Solder Recovery Systems**

**Turns Dross Into Dollars**  
**FAST PAYBACK**  
**Gain and Retain ISO 14001**

# EVS 8K/10K Range

## Updated Models of the award winning EVS 7000/9000 Range

(WINNER of BEST PRODUCT and  
BEST ENVIRONMENTAL PRODUCT  
at APEX USA 09 and  
NEPCON CHINA 09 )



## THE 5 ADVANTAGES FOR USING EVS SOLDER RECOVERY SYSTEMS

- 1) VERY FAST ROI ( MONTHS NOT YEARS)
- 2) PROCESS IMPROVMENTS
- 3) PRODUCTIVITY IMPROVEMENTS
- 4) ISO 14001 ( GAINING IT AND KEEPING IT)
- 5) REDUCTION OF COSTS  
( Rework – Nitrogen- Labour- Storage- Time)

# The EVS Solder Recovery System is Environmentally Friendly



- ISO 14001
- RECYCLE
- REDUCE
- REUSE

- The NEW EVS 8K/10K Range have been redesigned and upgraded but still all of the recovery performance of the standard and lead free solder units. The new cart design has a smaller size and footprint help reduce the cost, but still provide a capacities of **20lb/10kg** and **40lbs/20kg** of dross, giving a rapid payback and impressive return on capital (ROI).
- All EVS Systems are a fully automatic and have many operators safeties.
- The very quick cycle time and manoeuvrability of this new machine will appeal to all customers
- With the increasing cost of solders and labour around the world these NEW EVS systems are being installed at manufacturing facilities by customers looking to save money and improve their process

- The EVS 8K/10K is the new version of the EVS 7000 /9000 redesigned having taken cognisance of extensive feedback from our distributors and customers worldwide.
- Complete with Top extraction to **maximize the extraction of gas and smoke**, new chassis with separated **control section** and pull out drawer for the power, and separated control and pneumatics sections + out side view of air pressure.
- New Four wheeled highly manoeuvrable cart, pull out drawers for both stand alone filter and dross bucket to facilitate **easy change out of filters and bucket replacement**.
- Redesigned **Standard Stand Alone Filter** with bigger more flexible hoses and High flow Combination filter that replaces the first three filters in the filter stack [four filters down to two] reducing **filter change out by up to 90+% and therefore maintaining the airflow over the same extended time scale.**
- The new pull out tray for the solder ingot tray and also the new solder ingot trays have a handle at each end.





Other upgrades included:

**Upgraded Software to improve control and service prompts.**


Pull out tray for filter box and dross bin.

Air knife for dross chute

Sealed sides of internal machine for cleaner operation.

All electronics moved to rear sealed section of the machine for ease of service access..

Redesigned dross handling chutes with pull out drawer for the dross buckets/bin.





- **The EVS is fully lead free compatible now.**
- **The EVS creates huge savings as it will recover a minimum of 50% of pure solder from all the dross currently being sent away.**
- **The EVS will cut solder purchases by up to 40-50%**
- **The EVS has a very fast payback (ROI) = More productive capital.**
- **The EVS means much less storage and handling of dross = Freed-up space and reducing costs.**
- **The EVS means substantially less heavy lifting for staff, the heavy pure solder is retained by you = A happier, healthier staff.**
- **The EVS makes a positive contribution to gaining and retaining ISO 14001 accreditation RECYCLE- REDUCE-REUSE = A happier, healthier environment and future.**
- **The EVS speeds up the dedrossing process by up to 70%, less squeezing and no chopping without financial penalties. The solder is retained by you.**
- **Staff are empowered by contributing to site savings and environmental improvements.**
- **The EVS presents a rare opportunity to environmentally improve your factory while at the same time providing a substantial positive payback and improving your soldering process.**

# Wave Soldering:

**EVS**

World leaders in solder recovery  
EVS International



**Dross formation :  
50 – 75%**


**Very costly, even with  
excellent supplier  
contracts**

**Handling and  
transportation is not  
really environmentally  
friendly: ISO 14001**

# Dross reduction methods:

**EVS**

World leaders in solder recovery  
EVS International



## Chemical

- Adding Wave Oils
- Dross Reducing Chemicals
- Nitrogen Systems



## Mechanical

- EVS Solder Recovery Systems

- Wave Oils:
- Wave oils have been around for Many Years. Although they reduce dross there are many negative side effects.
- Very expensive as the oils have to added to the process EVERY FEW HOURS.
- Have been reported to increase shorts bridging and rework.
- Wave maintenance, cleaning and wave downtime all increase.
- Oily/Black coating on contact parts, pumps and solder pot.
- This increases Running costs significantly.

# Dross Reducing Powders



- Dross reducing powders have to be stirred into the solder and dross are distributed throughout the solder bath creating an emulsion. This may be detrimental to solder joints in some applications. Chemicals are not needed when using EVS.
- Open Nitrogen can cost up to \$1600 a month to run. The traditional argument for Nitrogen is that it is required to run a no clean process. No longer true. The modern formulations are more than capable of supporting NC technology in atmospheric conditions. **The EVS can easily be justified by switching off the Nitrogen and saving the money!**

# EVS 8K/10K VERSUS WAVE OILS

**EVS**

World leaders in solder recovery  
EVS International

- 1) Once you have paid for the EVS machine you are forever making a large monthly savings.
- WAVE OILS: Constant have to buy the liquid and ship the remaining dross back to them at your costs ( VERY EXPENSIVE) as they started the price low and increased it steadily and the new Lead Free WAVE OIL is even more expensive that lead solder WAVE OIL.
- 2) One EVS can be used between 1-3 waves so your ROI and efficiency of de drossing is substantially improved..
- WAVE OILS: has to be added to EACH wave every few hours again (VERY EXPENSIVE). and over you pay high costs to reduce dross forever. ( DOESN'T MAKE ANY SENSE)
- 3) EVS puts pure solder back in to your solder pot. What you put in the EVS is what you get back, No chemistry or change of state of the solder.
- WAVE OILS: Why would you want to add an additive to your process.
- 4) EVS cleans up your process, No Dross reducing powders or oils needed, Reducing your shorts bridging and rework.
- WAVE OILS: Increases maintenance costs of the wave and coats wave in black discharge, massive increases in maintenance.
- 5) EVS fits in perfectly with your plants ISO14001 mantra of RECYLCE, REDUSE and REUSE with the EVS achieves all three.
- WAVE OILS: are adding a new chemical to your process and you can not RECYLE, REDUCE and REUSE the remaining dross that comes from the waves, you have to ship it back to the supplier

- DROSS REDUCING POWDERS:
- Dross Reducing Powders have been around for many years. Although they reduce dross there are MANY NEGATIVE SIDE EFFECTS.
- The powders have to be mixed in to the dross on the wave causing an increased exposure to fumes that can be dangerous to the operator and the people around the wave.
- Pot cleaning and down time increases as the powders have to be mixed in to the dross and the dross chopped up for 20-30 minutes.
- The powders and this chopping/mixing has been reported to increase shorts bridging and rework.



# EVS 8K/10K VERSUS DROSS REDUCING POWDERS




- 1) EVS systems speeds up your dedrossing time by up to 70%.
- DROSS REDUCING POWDERS increase dedrossing time and create more work as they have to be chopped in to the dross and mixed for 20-30 minutes to be effective.
- 2) EVS systems have a separate fume extraction as standard.
- DROSS REDUCING POWDERS increase exposure to fumes and can be dangerous to the operators and people around the wave.
- 3) EVS puts pure solder back in to your solder pot. What you put in the EVS is what you get back, No chemistry or change of state of the solder.
- DROSS REDUCING POWDERS: Why would you want to add additives to your process.
- 4) EVS cleans up your process, No DROSS REDUCING POWDERS needed, Reducing your shorts bridging and rework by 30to 40%.
- DROSS REDUCING POWDERS: Increases maintenance costs of the wave and coats wave in a powder, significantly increases in maintenance and downtime.

# Hot Chamber Method

**EVS**

World leaders in solder recovery  
EVS International

## How it works- 1:



# Hot Chamber Method

**EVS**

World leaders in solder recovery  
EVS International


## How it works- 2:




At the end of the cycle the dross is automatically emptied in to a sealed dross bin/bucket.



Solder is formed in 3 ingots.



**Figure 2**



# De Dressing with EVS is as easy


**EVS**

World leaders in solder recovery  
EVS International

**1 Open the loading hatch...**



**2 Load dross direct from the wave...**




**3 Press the Cycle Start button...**



**4** The machine squeezes the dross through the chamber teeth into the Ingot Tray



**5** At the end of the cycle the chamber door opens automatically-



**6** Dross is emptied into the dross pail:



**7** Take out the tray, place in a safe position and allow to cool.



**8** Put solder back in the solder pot.





What is the effect on the alloy of processing tin lead dross at 285-350 C in the EVS?

Hundreds of customers doing thousands of solder tests over many years have shown that the levels of impurities contained within the solder alloy processed through the EVS are exactly the same as the solder in the solder pot. What you put in is exactly the same as what you get out and

Can I use the same EVS for Lead and Lead Free Solders?

EVS on all its range offer both Lead and Lead Free versions. Due to cross contamination you can not use the same EVS for Lead and Lead Free. Separate machines would be needed. EVS also offer a Lead Free upgrade kit to convert a machine used on Lead solder to Lead Free.

Do the internal temperatures create additional contaminants?

NO: What you put the EVS is what you get back out exactly the solder quality of solder that is in the solder pot.

Can I process dross from a bath that has an oil blanket or that has had wave oils to reduce dross?

Never use oil with EVS as the oil burns and causing smoking. One advantage of using the EVS is that more frequent de drossing can be carried out without additional cost, thereby eliminating the need for an oil blanket or Wave Oils - another financial saving. The logic of using a messy, time consuming process which limits the process options generated by new technologies is questionable and highly expensive as they have to be added every 4 hours.

Can I process dross that has been treated with dross reducing chemicals?

For dross reducing chemicals to be effective they should be stirred into the dross, which creates an emulsion which in turn results in the chemical being present in every solder joint on the PCB. This process has been rejected by a major American computer manufacturer and is also an unnecessary cost. Regardless the dross can be processed although yields may be slightly reduced. EVS customers by stopping using dross reducing powders they have significantly reduced shorts, bridging and rework. Again a massive saving in cost and time.

What is the power consumption of the EVS?

EVS max consumption is 1.6 KW during start up. The unit has a soft start to lower power demands and once at operating temperature runs at 3-5 Amps.

What precautions do I need to ensure my machine operator's safety?

The EVS is a safe machine to operate. Operators should wear the recommended safety Equipment and follow the instructions in the operating manual provided which should be displayed by each machine. Warnings are displayed on the machine. ONLY TRAINED PERSONNEL SHOULD OPERATE THE EVS.

What extraction do I need?

The EVS has a standalone filtration system that requires no external ducting.

Does the EVS have any approvals and patents?

Yes. The EVS complies with all CE requirements, plus BS5304 and is covered by National, European, International and USA patents.

Can the temperature of the EVS be varied?

The EVS is pre-set to provide optimum results in dross recycling. But is fully Programmable.

Does the cycling process produce lead fumes?

No, as the temperature in the EVS is regulated to shut down should the temperature reach 400C (716F) well below lead fume generation.

What happens to the final dross deposit?

The remaining solder dross can be sent in the normal way to your solder supplier.

Can I use EVS to recycle dross from more than one wave soldering machine?

Yes. However it is important that dross from each individual machine cycle returned to the original bath otherwise cross contamination will be evident. On sites with multiple WSM's where cross contamination is critical it would be wise to install a higher ratio of EVS's to wave soldering machines to prevent expensive cross contamination.

Do I need extra personnel to operate EVS?

No. The same operators who de drosses the waves now would operate the EVS and as EVS is a self contained process permitting more rapid de drossing without penalty. Your operators time is then freed for other duties.

# EVS SOLDER RECOVERY SYSTEM


## THE LEAN, CLEAN, GREEN, MACHINE

- **LEAN** Rapid Return on Investment - Months Not Years  
40-50%+ Reduction in Solder Purchases
- **CLEAN** Self-Contained Process  
No Chemicals, Additives or Radiation  
Up to an 70% Reduction of Dross Off Site
- **GREEN** Improves the Environment  
Contributes to ISO 14001 RECYCLE-REDUCE-REUSE  
Lead Free Solder Compatible


# Solder Recovery Efficiency

**EVS**

World leaders in solder recovery  
EVS International



Dross in: 5.00 Kilos  
Dross out: 1.25 Kilos  
Metal out: 3.75 Kilos



Dross without using EVS



Dross after using EVS



Solder after using EVS

1) The EVS Machine has a world wide product patent

**But more importantly it also has:**

2) A world wide patent on the process of mechanically heating and squeezing solder dross

3) All patents are protected by patent insurance

# Conclusion

**EVS**

World leaders in solder recovery  
EVS International

- 40- 50 % savings on solder purchase
- Up to 70% less dross handling and transportation
- No Additives-Powders or Oils
- Contribute to the ISO 14001 RECYCLE-REDUCE-REUSE
- No change in quality of the solderbath
- Easy to use – significant operators time savings



For more detailed information visit:

**[www.solderrecovery.com](http://www.solderrecovery.com)**

Or Contact EVS International on:



**+44 (0)8451 304733**